



PACK MULE

BURDEN CARRIERS

1,000 LBS. DECK CAPACITY - 2,000 LBS. TOW CAPACITY

SIT DOWN VEHICLES



BC-520 NXG



BC-620 NXG

Model	Deck Width	Deck Length	Deck Capacity	Towing Capacity	Turning Radius	Why Choose This Model?
BC-520 NXG	35.5" Front 35.5" Rear	18" Front 30" Rear	1,000 LBS.	2,000 LBS	74.5"	EXTRA LENGTH INCREASES DECK SPACE BY 25%. The BC-520 is 7" wider and offers 336 sq. inches more deck space than the BC-500, but with the same tight turning radius, substantial deck weight capacity (1,000 lbs.) and towing capacity (2,000 lbs.).
BC-620 NXG	35.5" Front 35.5" Rear	18" Front 48" Rear	1,000 LBS.	2,000 LBS	92"	EXTRA LENGTH CREATES LARGEST DECK SPACE FOR OPERATOR SEATED BURDEN CARRIER! The BC-620's extra length provides great deck space (2,343, sq. in.) but also requires extra turning radius.

1,000 LBS. DECK CAPACITY - 2,000 LBS. TOW CAPACITY

STAND UP VEHICLES



BC-625 NXG



SC-775 NXG

Model	Deck Width	Deck Length	Deck Capacity	Towing Capacity	Turning Radius	Why Choose This Model?
BC-625 NXG	35.5" Front 35.5" Rear	18" Front 53" Rear	1,000 LBS.	2,000 LBS	80"	LARGEST DECK SPACE WITH OPERATOR IN FRONT. The BC-625 combines the largest deck space (a whopping 2,520.5 sq. in.), and it's located behind the operator to assure visibility.
SC-775 NXG	31.5"	48"	1,000 LBS.	2,000 LBS.	55"	MAXIMUM CARGO DECK, MINIMUM TURNING RADIUS & GREAT VALUE! The SC-775 combines the extra large cargo deck (1,890 sq. in. with the free 60" deck length upgrade) with the minimum turning radius (55") of any stand-up burden carrier. It's also a great value!

1,000-1,200 LBS. DECK CAPACITY - 5,000 & 6,000 LBS. TOW CAPACITY

SIT DOWN VEHICLES



PCT-3500 NXG



PMT-4500 NXG



BCT-5200 NXG



BCT-6200 NXG

Model	Deck Width	Deck Length	Deck Capacity	Towing Capacity	Turning Radius	Why Choose This Model?
PCT-3500 NXG	31.5"	21.5"	750 LBS.	5,000 & 6,000 LBS.	76"	NARROW FRAME AND TIGHT TURNING RADIUS, BUT LESS DECK SPACE: The PCT-3500 is compact, maneuverable and ergonomic but offers less deck space than our other sit down burden carriers with 5,000 & 6,000 lbs. of towing capacity.
PMT-4500 NXG	37.5" Front 37.5" Rear	18" Front 25" Rear	1,000 LBS.	5,000 & 6,000 LBS.	79"	WIDEST 5,000/6,000 LBS. TOWING SIT DOWN BURDEN CARRIER! The PMT-4500 is our widest burden carrier at 38", and it's built like a tank.
BCT-5200 NXG	35.5" Front 35.5" Rear	18" Front 30" Rear	1,200 LBS.	5,000 & 6,000 LBS.	74.5"	ADDED DECK SPACE & WEIGHT CAPACITY PLUS TIGHT TURNING RADIUS & BEST VALUE. The BCT-5200 delivers great deck space (1,704 sq. in.), deck weight capacity (1,200 lbs.) and towing capacity (5,000 & 6,000 lbs.) plus tight turning radius. Best value of our sit down burden carriers with 5,000 & 6,000 lbs. of towing capacity.

BCT-6200 NXG	35.5" Front 35.5" Rear	18" Front 48" Rear	1,200 LBS.	5,000 & 6,000 LBS.	92"	LARGEST CARGO DECK FOR A SIT DOWN BURDEN CARRIER WITH 5,000 & 6,000 LBS. TOWING! The BCT-6200 provides huge deck space (2,343, sq. in.) and capacity (1,200 lbs.) as well as 5,000 & 6,000 lbs. of towing capacity, but it does require a larger turning radius.
--------------	---------------------------	-----------------------	---------------	-----------------------	-----	---

1,000-1,200 LBS. DECK CAPACITY - 5,000 & 6,000 LBS. TOW CAPACITY

STAND UP VEHICLES



BCT-6250 NXG



SCT-7750 NXG



SCT-7750-IB NXG



PMT-5000 NXG

Model	Deck Width	Deck Length	Deck Capacity	Towing Capacity	Turning Radius	Why Choose This Model?
BCT-6250 NXG	35.5" Front 35.5" Rear	18" Front 53" Rear	1,200 LBS.	5,000 & 6,000 LBS.	80"	LARGEST DECK SPACE & OPERATOR IN FRONT OF LOAD! The BCT-6250 combines the largest deck space (a whopping 2,520.5 sq. in.) and puts the operator in front of his load for best visibility.
SCT-7750 NXG	31.5"	48"	1,200 LBS.	5,000 & 6,000 LBS.	55"	TIGHTEST TURNING RADIUS, GREAT DECK SPACE AND CAPACITY & BEST VALUE! The SCT-7750 is the right choice where space is tight and maneuverability is important, and it's our best value in this group.

SCT-7750-IB NXG	31.5"	48"	1,000 LBS.	5,000 & 6,000 LBS.	55"	INDUSTRIAL BATTERY FOR RAPID AND OPPORTUNITY CHARGING! The SCT-7750-IB, designed specifically for a major auto producer, is the only stock chaser style burden carrier on the market with an industrial battery capability, allowing it to be charged during brakes and keep running through all three shifts.
PMT-5000 NXG	36.5" Front 36.5" Rear	15" Front 25.5" Rear	500 LBS.	5,000 & 6,000 LBS.	55"	TIGHTEST TURNING RADIUS – DRIVER IN FRONT! The PMT-5000 is another top choice for lean operations where space is tight and maneuverability is important, but it offers less deck space.

1,200 LBS. DECK CAPACITY - 8,000 LBS. TOW CAPACITY

SIT DOWN VEHICLES



BCG-6200 NXG

Model	Deck Width	Deck Length	Deck Capacity	Towing Capacity	Turning Radius	Why Choose This Model?
BCG-6200 NXG	35.5" Front 35.5" Rear	21.3" Front 25" Rear	1,200 LBS.	8,000 LBS.	80"	HEAVY DUTY TOWING – CAN BE EQUIPPED WITH INDUSTRIAL BATTERY FOR RAPID AND OPPORTUNITY CHARGING! The BCG-6200 was designed specifically for a major auto producer to accommodate an industrial battery capability, allowing it to be charged during brakes and keep running through all three shifts. It can also be equipped with standard batteries.

Contact Details

Phone: (404) 292-7441

Fax: (404) 292-8469

Email: info@wesleyintl.com

Address:

Wesley International Corporation

3680 Chestnut St
Scottsdale, GA 30079