



# PACK MULE

## PACK MULE VS CUSHMAN

Cushman Tug (Sit Down – 5,000 lbs. towing) v. Pack Mule PCT-3500 NXG (Sit Down – 5,000 lbs. towing)

FEATURE	PACK MULE	CUSHMAN	WHY IT MATTERS
<b>Cargo Capacity</b>	750 lbs	450 lbs.	Pack Mule has a cargo capacity nearly 50% greater than Cushman, meaning you can get more done every trip.
<b>Towing Capacity</b>	5,000 lbs.	5000 lbs.	Equal towing capacity doesn't mean equal productivity. Pack Mule's greater cargo capacity and much longer run time means more work done.
<b>Motor</b>	Sealed AC motor	Separately excited DC motor.	The Pack Mule NXG's standard AC motor delivers power more efficiently, and since it's sealed and has no brushes to inspect and replace, it's maintenance free.
<b>Battery</b>	245 amp/hour. Available in 36 v and 48 v.	225 amp/hour. Available in 36 v only	Higher amps per hour increase runtime and battery life. Pack Mule provides nearly 10% more amp hours. For applications with heavy tow loads or inclines, the 48 v battery configuration is available.

<b>Steering</b>	1" steering pivot shaft. Front axle with tapered bearings and center support between front tires with precision ground, beveled and hardened gears with roller bearings at all pivot and support areas.	¾" steering pivot and ¾" front axle with smaller bearings using push rods, levers and bushings.	Ease and precision of steering not only affect driver performance, but also safety, especially in close areas. Additionally, the more robust steering greatly reduces downtime.
<b>Braking</b>	Programmable dual electronic regenerative braking.	3-wheel hydraulic drum brakes	Regenerative braking not only stops the vehicle, but converts the resulting kinetic energy into energy stored by the battery, increasing time between charges.
<b>Tires</b>	Heavy duty 6-ply Load Range C (90 PSI). Wide-stance dual front tires.	4-ply Load Range B (60 psi) Single front tire.	Not only do Pack Mule's heavier-duty tires increase load capacity, their 90-PSI inflation reduces rolling resistance, increasing the vehicle's run time. The wide-stance tires provide greater stability and control.
<b>Instrumentation</b>	Standard Smart View display with battery status, hours, and fault codes.	Battery status only. Hour meter available as an upgrade	The Smart View display provides the information needed for the most efficient use of the vehicle. The displayed fault codes simplify trouble shooting.
<b>Programmable Controller</b>	Top-of-the-Line, tamper-proof fully programmable controller	Programmable Controller	Optimizes run time and extends battery life.

<b>Construction</b>	Fully welded genuine diamond plate heavy-duty 14-gauge steel body over a 7-gauge and 10-gauge frame	Embossed, lighter-weight 16-gauge steel	Pack Mule's rugged construction stands up to heavy use, reducing downtime and increasing productivity.
<b>Hitch Plate</b>	Multi-position hitch plate	Single position hitch plate. No upgrade.	Multi-position hitch plate allows hitch height to be adjusted to meet the specific application.
<b>Warranty</b>	Three-year Warranty	Recently announced two-year warranty	Pack Mule's confidence in its quality allowed it to introduce the industry's first (and only) three-year warranty. Cushman has recently introduced their two-year warranty.

